## **CLAIM LISTING**

Claims 1-5 and 11-14 are hereby canceled without prejudice. Claims 6-10 remain pending.

- 1-5. (Canceled)
- 6. (Previously presented) A system for processing price data corresponding to a sequence of time for a selected interval, said system comprising:

a database means for storing said price data in system addressable format, wherein said price data is organized for processing into a non-linear relationship;

a data processor responsive to price data stored in said database and capable of generating said non-linear relationship having a smooth, curvilinear characteristic for a range of data within said interval;

a pattern recognition processor for applying said smoothed non-linear relationship to discern the existence of one or more patterns of price-time data and generating a results output based on a recognition of said pattern, if any; and programming to detect one or more broadening tops and broadening bottoms.

7. (Previously presented) A system for processing price data corresponding to a sequence of time for a selected interval, said system comprising:

a database means for storing said price data in system addressable format, wherein said price data is organized for processing into a non-linear relationship;

a data processor responsive to price data stored in said database and capable of generating said non-linear relationship having a smooth, curvilinear characteristic for a range of data within said interval;

a pattern recognition processor for applying said smoothed non-linear relationship to discern the existence of one or more patterns of price-time data and generating a results output based on a recognition of said pattern, if any; and programming to detect one or more head and shoulders patterns.

8. (Previously presented) A system for processing price data corresponding to a sequence of time for a selected interval, said system comprising:

a database means for storing said price data in system addressable format, wherein said price data is organized for processing into a non-linear relationship;

a data processor responsive to price data stored in said database and capable of generating said non-linear relationship having a smooth, curvilinear characteristic for a range of data within said interval;

a pattern recognition processor for applying said smoothed non-linear relationship to discern the existence of one or more patterns of price-time data and generating a results output based on a recognition of said pattern, if any; and programming to detect one or more triangle tops and triangle bottoms.

9. (Previously presented) A system for processing price data corresponding to a sequence of time for a selected interval, said system comprising:

a database means for storing said price data in system addressable format, wherein said price data is organized for processing into a non-linear relationship;

a data processor responsive to price data stored in said database and capable of generating said non-linear relationship having a smooth, curvilinear characteristic for a range of data within said interval;

a pattern recognition processor for applying said smoothed non-linear relationship to discern the existence of one or more patterns of price-time data and generating a results output based on a recognition of said pattern, if any; and programming to detect one or more rectangle tops and rectangle bottoms.

10. (Previously presented) A system for processing price data corresponding to a sequence of time for a selected interval, said system comprising:

a database means for storing said price data in system addressable format, wherein said price data is organized for processing into a non-linear relationship;

a data processor responsive to price data stored in said database and capable of generating said non-linear relationship having a smooth, curvilinear characteristic for a range of data within said interval;

a pattern recognition processor for applying said smoothed non-linear relationship to discern the existence of one or more patterns of price-time data and generating a results output based on a recognition of said pattern, if any; and programming to detect one or more double tops and double bottoms.

## 11-14. (Canceled)